

SHUANGYANG PET MEDICAL

Veterinary Medical Consumables — Product Catalog

Jiangsu Shuangyang Medical Instrument Co., Ltd.
Shuangyang Bldg, Baoji, Yangshe Town, Zhangjiagang, Jiangsu, China
Est. 2001 · 18,000sqm Factory · 11 Product Lines · OEM/ODM
Exporting to 120+ Countries

ISO 9001:2015 · ISO 13485:2016 · TÜV CE

Email: info@jsshuangyang.com · WhatsApp: +86 182 6187 0933 · www.shuangyangorthopedic.com

ORTHOPEDIC IMPLANTS

[O001] ALPS Locking Plate System

Specs: Material: Titanium Alloy | Ref: PA1004 / PA1006 / PA1007 | Size: 1.6-4.0mm, multi-hole

Use: Locking internal fixation for diaphyseal and metaphyseal fractures; anatomical and straight options.

[O002] Locking Screw

Specs: Material: Titanium | Ref: PT2004-0201 series | Size: 2.4 x 5-30mm

Use: For use with locking plates; star Torx drive locking head.

[O003] Cortical Self-Tapping Screw

Specs: Material: Stainless Steel / Titanium | Ref: PT2002 | Size: 2.7 x 6-40mm

Use: Self-tapping cortical fixation; pointed self-drilling tip, hex or star head.

[O004] TPLO Plate

Specs: Material: Titanium | Ref: PA1002-0301 / 0302 | Size: 2.7mm, 3+3 holes

Use: For canine tibial plateau leveling osteotomy (TPLO); L-shaped anatomical curve.

[O005] TPLO III Universal Plate

Specs: Material: Titanium | Ref: PA1000 / PA1001 | Size: Multi-size

Use: Universal TPLO III; compatible with multiple osteotomy configurations.

[O006] Reconstruction Locking Plate

Specs: Material: Titanium | Ref: PA1007 | Size: 1.6-3.5mm

Use: Contourable for irregular bones, pelvis and mandible reconstruction.

[O007] Straight Compression Plate / LC-DCP

Specs: Material: Stainless Steel | Ref: PS1014 / PS1008 | Size: 1.5-3.5mm

Use: Straight compression and limited-contact dynamic compression fixation for long bones.

[O008] TTA Implant (TTAIII)

Specs: Material: Titanium | Ref: P1043 | Size: 3-12mm

Use: Cage-type advancement plate for tibial tuberosity advancement (TTA).

[O009] Biological Hip System (Stem + Head)

Specs: Material: Titanium + CoCr | Ref: 030260020012 series | Size: 1#-10# stems / multi-diameter heads

Use: Total hip replacement for dogs and cats; biological press-fit, titanium stem with CoCr head.

[O010] Spine Pedicle Screw

Specs: Material: Titanium | Ref: P2013 | Size: 1.5-3.5mm

Use: Vertebral fixation; polyaxial pedicle screws with connecting rods.

[O011] HC Locking Screw

Specs: Material: Titanium | Ref: PT2005 | Size: 2.4 / 3.5 / 4.0mm

Use: Locking for large animals and large-breed dogs; coarse thread, high holding power.

[O012] Fine Locking Screw

Specs: Material: Titanium | Ref: PT2000 / PT2004 / PT2007 | Size: 1.1 / 1.5 / 2.0 / 3.2mm

Use: Locking fixation for small dogs, cats and fine bone.

[O013] Self-Tapping Screw (Hex/Torx)

Specs: Material: Stainless Steel / Titanium | Ref: PS2008 / PS2009 / PT2007 | Size: Multi-diameter

Use: Self-tapping cortical and cancellous fixation; hex or star drive.

[O014] DPO Locking Plate

Specs: Material: Titanium | Ref: PS1019 / PA1034 | Size: Anatomical, multi-size

Use: Anatomical plate for canine patellar luxation correction (DPO).

[O015] L-Shaped Locking Plate

Specs: Material: Titanium | Ref: PS1034 | Size: Anatomical

Use: L-shaped angular fixation for metaphyseal and periarticular fractures.

[O016] Acetabular Plate

Specs: Material: Titanium | Ref: PS1009 / PA1023 | Size: Anatomical
Use: Reduction, compression and locking fixation for acetabular fractures.

[O017] Distal Femoral Plate

Specs: Material: Titanium | Ref: PS1011 / PA1028 | Size: Anatomical, multi-hole
Use: For supracondylar and intercondylar distal femoral fractures.

[O018] Fusion Locking Plate

Specs: Material: Titanium | Ref: PS1037 | Size: Anatomical
Use: Long locking plate for arthrodesis procedures.

[O019] SOP Plate / LC-DCP

Specs: Material: Stainless Steel | Ref: PS1021 / PS1008 | Size: Multi-type
Use: General straight compression and limited-contact dynamic compression fixation.

[O020] Straight Locking / Double-L Plate

Specs: Material: Titanium | Ref: PA1025 / PA1021 | Size: Anatomical
Use: Diaphyseal straight locking plus double-L angular combination fixation.

[O021] Tarsal/Carpal Fusion Plate

Specs: Material: Titanium | Ref: PS1037 | Size: T-shaped anatomical
Use: T-shaped locking for tarsal and carpal arthrodesis.

[O022] Double Distal Femoral / Reconstruction Plate

Specs: Material: Titanium | Ref: PA1019 / PT1010 | Size: Anatomical, multi-combination
Use: Complex fracture reconstruction; double-end, double-T or double-L compression.

[O023] TTAI Implant

Specs: Material: Titanium | Ref: PA1044 | Size: Cage-type
Use: Cage-type advancement plate for TTAI technique.

[O024] Cemented Hip System

Specs: Material: Titanium + UHMWPE | Ref: 030260020112 series | Size: Stem + UHMWPE cup
Use: Cemented total hip replacement; titanium stem with polyethylene cup.

[O025] Bipolar Hip System

Specs: Material: Titanium + CoCr | Ref: 030260030012 series | Size: Stem + bipolar head
Use: Bipolar hemiarthroplasty; titanium stem with bipolar metal head.

[O026] Single Head K-wire

Specs: Material: Stainless Steel / Titanium | Ref: 3028017xxxx | Size: 0.8-4.0mm
Use: Provisional fixation and tension band; single threaded head.

[O027] Double Head K-wire

Specs: Material: Stainless Steel / Titanium | Ref: 3028016xxxx | Size: 0.8-4.0mm
Use: Bilateral pinning; double trocar points.

[O028] Suture Anchor + Artificial Ligament

Specs: Material: Titanium | Ref: 3029001/2/3/4/5/6 | Size: Anchor + braided ligament + hex lock
Use: Knee lateral stabilization (e.g. CCD repair); anchor with artificial ligament.

[O029] Elastic Nail (ILN)

Specs: Material: Titanium | Ref: D0006-000x | Size: 1.2-3.0mm
Use: Minimally invasive elastic intramedullary nailing for long bones; preferred in young animals.

[O030] Power Tools System

Specs: Material: Engineering Plastic + Metal | Ref: M-06/07/11/12/16/17 | Size: Saw + drill + TPLO saw
Use: Intraoperative power tools; battery saw, drill and TPLO-specific saw.

[O031] Soft Tissue Instruments Set

Specs: Material: Stainless Steel | Ref: EA/B/C/D/E/F/G/H/J | Size: Hemostats / tissue forceps / needle holders
Use: Standard soft-tissue surgical instrument set.

[O032] Kirschner Wire Pack

Specs: Material: Stainless Steel | Ref: 1001-05xx | Size: 0.8-4.5mm, bundled

Use: Bulk K-wires in multi-diameter bundles.

[O033] Drill Bit Set

Specs: Material: Stainless Steel | Ref: 1001-07xx / AZ002xx | Size: 1.0-3.2mm

Use: AO quick-change drill bits for drilling and guided drilling.

[O034] Reduction & Bone Holding Forceps

Specs: Material: Stainless Steel | Ref: BA00x / BW / 4000 | Size: AO self-locking / point / Kern

Use: Fracture reduction and bone holding; multiple forceps types.

[O035] Manual Bone Instruments

Specs: Material: Stainless Steel | Ref: 4200 / 4000 / BA04x / BA05x | Size: Periosteal elevators / osteotomes / rasps

Use: Basic manual bone instruments for orthopaedic procedures.

[O036] Retractors Set

Specs: Material: Stainless Steel | Ref: 4200 / BA06x | Size: Hohmann / femoral / self-retaining

Use: Wound and surgical field retraction.

[O037] External Fixator System

Specs: Material: Titanium / Aluminum | Ref: D0010-000x / 6100-01xx | Size: Bilateral + triangular + unilateral

Use: External fixation for open and severely comminuted fractures.

[O038] Fixator Components

Specs: Material: Carbon Fiber / Steel / Aluminum | Ref: 6100-011x / 1001-01xx | Size: Rods + Schanz pins + couplers

Use: Spare components for external fixator frames.

[O039] Measuring Ruler + Tail Cutter + Mouth Opener

Specs: Material: Stainless Steel | Ref: BA067 / EI001 / EJ001 | Size: Ruler + cutter + opener

Use: Orthopaedic measurement, tail cutting and mouth opening aids.

[O040] K-wire Tools (Punch/Bender/Hammer/Cutter)

Specs: Material: Stainless Steel | Ref: BA037 / 038 / 4000-73xx / BA02x | Size: Punch + bender + hammer + cutter

Use: Accessory tools for K-wire procedures.

CATHETER · DRAINAGE

[P001] Cat Urinary Catheter Series (BC)

Specs: 01 1.0x130mm for small cats, 10 pcs/box | 02 1.3x130mm for medium & large cats, 10 pcs/box

Use: BC series: indwelling up to 2 weeks, side openings, with guide wire. Main uses: stone relief, bladder irrigation

[P004] Veterinary Drainage Urine Bag

Specs: 01 With drain valve / 2m spiral tube + bag / 300mL | 02 With drain valve / 2m spiral tube + bag / 500mL | 03 With drain valve / 2m spiral tube + bag / 1000mL

Use: Thickened bag with volume scale, for urine drainage collection in cat/dog urological procedures

[P024] Canine Silicone Dual-lumen Foley Catheter · Standard

Specs: 01 6Fr 2.0x370mm, 10 pcs/box | 02 8Fr 2.6x370mm, 10 pcs/box | 03 10Fr 3.3x420mm, 10 pcs/box

Use: Imported silicone / metal guide wire, with lubricant and external fixation clip

[P028] Silicone Catheter Tower Luer Connector

Specs: 01 With cap - tapered Luer lock connector, seamlessly connects silicone tubes, drainage bags and syringes

Use: Tapered connector connects silicone tubes, drainage bags and syringes for easy urine sampling

[P031] Veterinary Pleural Effusion Drainage & Dialysis Kit

Specs: 01 Radiopaque drainage tube: 7Fr x 30cm | Features: 7 drainage holes, anti-blocking, X-ray visible line, indwelling up to 4 weeks.

Use: Clinical use: drainage & dialysis of pleural/peritoneal effusion caused by empyema, peritonitis, cholecystitis, etc.

[P036] Veterinary Pleural J-tube Drainage Kit

Specs: 01 6Fr x 25cm | J-type drainage tube / Y-type puncture needle / skin knife / infusion connector / guide wire / butterfly external clip / heparin cap / screw syringe / blue-hub needle / sterile syringe | 02 8Fr x 25cm | 03 10Fr x 25cm | 04 12Fr x 25cm

[P037] Veterinary Central Venous Catheter Kit

Specs: 01 5Fx13cm | 200525 | 7Fx30cm | Config: central venous catheter, metal guide wire (with sheath), puncture needle, dilator, scalpel, syringe, heparin cap, butterfly clip

ANESTHESIA · AIRWAY

[P019] Veterinary Nebulizer

Specs: 01 Config: nebulizer machine / medication chamber / large & small breathing masks. For colds, upper respiratory infections, cough, bronchitis and pneumonia-related breathing discomfort in animals.

[P038] Veterinary Spinal Anesthesia Needle

Specs: 01 22Gx90mm | 02 23Gx90mm | 03 24Gx90mm

Use: Lumbar anesthesia puncture needle for animals

[P045] Veterinary Anesthesia Laryngoscope

Specs: 01 LED cold light - does not burn the throat | Config: 5 sizes 1#-5#, right-open straight laryngoscope blade

Use: Right-open straight blade / LED cold light - does not burn the throat

[P046] Exotic / Avian Tracheal Tube

Specs: 01 Material: silicone / 9 sizes per set

[P054] Veterinary Anesthesia Face Mask

Specs: 01 Mask #1 | 02 Mask #2 | 03 Mask #3 | 04 Mask #4 | 05 Mask #5 | 06 Mask #6 | 07 Silicone fixation strap | 08 Full set of 6 sizes with silicone strap

Use: Anesthesia breathing masks for animals

[P056] Veterinary Anesthesia Breathing Bag

Specs: 01 Ventilator accessory | Material: natural latex | Capacity: 0.5L/1L/2L/3L

[P057] Anesthesia Y-shape Corrugated Breathing Circuit

Specs: 01 Universal connector / length 1.6m

Use: Anesthesia ventilator Y-type corrugated tube

[P058] Anesthesia Circuit Hanger (Stainless Steel)

Specs: 01 Shape: L-type | Material: stainless steel

Use: Anesthesia circuit holder (stainless steel)

[P079] Apnea Alarm Monitor

Specs: 01 Config: USB charging cable / manual

Use: Animal breathing interruption alarm

SURGICAL INSTRUMENTS

[P061] Soft-tissue Surgical Instrument Set (22 pcs)

Specs: 1. Hemostatic forceps/straight 12.5cmx1 | 9. Straight pointed scissors 14cmx1 | 2. Hemostatic forceps/curved 12.5cmx1 | 10. Curved pointed scissors 14cmx1 | Gift: Mayo pin | 3. Hemostatic forceps/straight 14cmx1 | 11. Straight sharp-blunt scissors 14cmx1 | 4. Hemostatic forceps/curved 14cmx1 | 12. Curved sharp-blunt scissors 14cmx1 | 5. Hemostatic forceps/straight 16cmx1 | 13. Straight blunt scissors 14cmx1 | 6. Hemostatic forceps/curved 16cmx1 | 14. Curved blunt scissors 14cmx1 | 7. Tissue forceps 14cmx1 | 15. Straight surgical scissors 16cmx1 | 8. Tissue forceps 16cmx1 | 16. Curved surgical scissors 16cmx1 | 17. Needle holder 14cmx1 | 18. Needle holder 16cmx1 | 19. Towel clamp 11cmx2 | 20. Scalpel handle 4#x1 | 21. Sterile blade 23#x1 | 22. Dressing forceps 16cmx1

Use: 22-piece soft tissue surgical instrument kit for animals

[P064] Veterinary Sterilization Forceps (Export Grade)

Specs: 12.5cm/straight/curved tip | 02 16cm / front height 3cm / straight/curved tip

Use: Spay hook retractor (export quality)

[P065] Small Animal Spay Retractor

Specs: 01 17cm / ball tip / hook width 6mm | 02 17cm / ball tip / hook width 8mm | 03 17cm / ball tip / hook width 10mm

Use: Small animal spay retractor hook

[P067] Pet Orthopedic / Urolith Curette

Specs: 01 Small / 5mm / oval head 4mm | 02 Medium / 9mm / oval head 8mm | 03 Large / 12mm / oval head 10mm

Use: Veterinary orthopedic urinary stone curette

[P071] Veterinary Dental Tool Set

Specs: 01 Config: upper/lower jaw extraction forceps, 1#/2# minimally invasive elevators, 5-piece tartar scraper set

Use: Veterinary dental instrument set

[P073] Surgical Instrument Sterilization Box

Specs: 01 Aluminum alloy material, high temperature & pressure resistant | 3 colors | L24xW16xH4.5cm

Use: Surgical instrument sterilization box

[P077] Surgical Instrument Sterilization Mat

Specs: 01 Silicone material / L24xW17cm

Use: Surgical instrument sterilization mat

[P107] Disposable Scalpel with Handle

Specs: 01 11# / 10 pcs/box | 02 12# / 10 pcs/box | 03 23# / 10 pcs/box

Use: Disposable scalpels with handle

SUTURE · PUNCTURE · WOUND

[P008] PGA Multifilament Absorbable Suture

Specs: 1/2 circle round needle | 3/8 circle reverse cutting needle | 4-0/19mm/90cm/purple | 3-0/25mm/90cm/purple | 2-0/30mm/90cm/purple, 10 pcs/box

Use: PGA braided absorbable suture, purple, with round and reverse cutting needles

[P012] Veterinary Biopsy Needle

Specs: 01 14G (2.1mm)x20cm, sterile packed/pc | 02 16G (1.6mm)x20cm, sterile packed/pc | 03 18G (1.2mm)x15cm, sterile packed/pc | 04 20G (0.9mm)x15cm, sterile packed/pc

Use: Needle with depth scale, for tissue biopsy sampling of muscle, internal organs, liver & kidney

[P017] Veterinary Hernia Repair Mesh

Specs: 01 6x11cm/pc | 02 8x15cm/pc

Use: Veterinary hernia repair mesh

[P021] Veterinary Wound Aluminum Spray

Specs: 01 Capacity: 150mL/bottle. For various wounds: hemostasis, infection prevention, abscess care, eschar removal and tissue regeneration

[P096] Veterinary Skin Stapler

Specs: 35 titanium skin staples

Use: Veterinary skin stapler

[P097] Surgical Staple Remover

Specs: Individually sterile packed

Use: Staple remover

INFUSION · PHLEBOTOMY · FEEDING

[P007] Veterinary IV Catheter

Specs: 01 22G / blue / with heparin cap, 30 pcs/box | 02 24G / yellow / with heparin cap, 30 pcs/box | 03 26G / purple / with heparin cap, 30 pcs/box

[P013] Veterinary Blood Bag (with Anticoagulant)

Specs: 01 100mL / 3 pcs per bag | 02 200mL / 3 pcs per bag

Use: Blood collection bag with anticoagulant

[P014] Veterinary Blood Transfusion Set

Specs: 01 Anti-clotting type / needle 0.9mm / piece

Use: Veterinary blood transfusion set, anti-clotting type

[P020] Veterinary Micro-flow Syringe Pump

Specs: 01 Japanese motor, dual-CPU design, stable & efficient infusion; compatible with any brand of syringe; auto-identifies syringe sizes; voice + clear text + visual alarm combination

[P022] Veterinary Nasogastric Feeding Tube

Specs: 01 6Fr 2.0x350mm, 10 pcs/box | 02 8Fr 2.6x450mm, 10 pcs/box | 03 10Fr 3.3x500mm, 10 pcs/box

Use: Radiopaque tube, imported material, excellent elasticity, indwelling up to 4 weeks. Includes: lubricant, external fixation clip

[P039] Veterinary Bulb-tip Feeding Syringe

Specs: 01 20mL / sterile individually packed | 02 60mL / sterile individually packed | 03 100mL / sterile individually packed

Use: Coarse-tip feeding syringe for animals

[P040] Veterinary Water Feeder

Specs: 01 Curved tip / 12mL | 02 Straight tip / 12mL

Use: Animal water feeder bottle

[P089] Veterinary Infusion Set

Specs: 01 5.5# needle / sterile individually packed / 10 pcs/pack | 02 6# needle / sterile individually packed / 10 pcs/pack | 03 7# needle / sterile individually packed / 10 pcs/pack

Use: Veterinary infusion set (scalp vein type)

[P090] IV Scalp Needle

Specs: 5.5# needle, sterile individually packed / 20 pcs/pack

Use: Infusion scalp vein needle

[P091] Three-way Stopcock

Specs: Sterile individually packed / 2 pcs/set

Use: Three-way stopcock valve

[P093] Telescopic IV Extension Tube

Specs: Extends up to 2m, Luer male/female connectors | Non-pyrogenic, sterile individually packed

Use: Retractable infusion extension tube

MONITORING · DIAGNOSTICS

[P015] Feline Blood Typing Card

Specs: 01 Cat blood typing card + rinse solution + pipette / 5 sets/box

Use: Cat blood typing test card kit, 5 sets per box

[P016] Feline Crossmatch Card

Specs: 02 Cat cross-match card + rinse solution / 5 sets/box

Use: Cat blood cross-matching card kit

[P042] Waterproof Soft-tip Digital Thermometer

Specs: 01 Bendable soft silicone tip, waterproof | Range: 33-42■ | Fast reading in 6 seconds | LCD display, beep alert, memory function

[P074] Veterinary Otoscope

Specs: 01 Probe openings: 4mm/3.2mm/2.4mm | Magnification 1.5-2x, clear ear canal view | Adjustable light / for ear exams of all animal sizes

[P076] Dual-light Examination Flashlight

Specs: 01 White light / yellow light, for general veterinary exams | Stainless steel body, USB rechargeable

[P080] Red / Blue Light Therapy Device

Specs: 01 Anti-inflammatory & analgesic / promotes wound healing | Config: power cord / protective goggles / manual

Use: Animal red-blue spectrum therapy lamp

[P105] Veterinary BP / Monitor Cuff

Specs: 01 Size 1# (mouse/rabbit) | 02 Size 2# (cat) | 03 Size 3# (small-medium dog) | 04 Size 4# (large dog/sheep) | 05 Size 5# (horse/cattle) | 06 Full set (sizes 1-5)

Use: Veterinary blood pressure/monitor cuff

CARE · ORTHO · RESTRAINT

[P006] Surgical Antiseptic Iodophor Film

Specs: 01 30x20cm/pc, 10 pcs/box | 02 45x30cm/pc, 10 pcs/box

Use: Povidone-iodine anti-infection surgical drape for animals

[P029] Dual-lumen Catheter Cap (Irrigation Adapter)

Specs: 01 Double-lumen catheter cap / connect drainage bag / sampling / medication injection

[P030] Medical Catheter Lubricant

Specs: 01 Lubricant made from natural ingredients / sterile packing. Net capacity: 3g/pack

[P044] Flea & Tick Prevention Collar

Specs: 7-month long-acting prevention & treatment | 01 L36xW1cm (for cats/small dogs) | 02 L55xW1.5cm, Weight: 35g

[P078] Examination Restraint Vacuum Cushion

Specs: 01 Medical PVC material | Size: L60xW40cm | Includes: air pump

Use: Veterinary restraint vacuum pad for examination

[P081] Knee / Leg Joint Support Bandage

Specs: 01 Size S fits 2.5-7.5kg | Size M fits 7.5-12.5kg | Size L fits 12.5-22.5kg | Size XL fits 22.5-45kg

Use: Veterinary knee/leg joint fixation bandage

[P086] Orthopedic Molding Soft Splint

Specs: 01 W11xL92cm/roll

Use: Orthopedic moldable soft splint

[P087] Orthopedic Padding Cotton

Specs: 01 5cmx270cm / 12 rolls/pack | 02 7.5cmx270cm / 12 rolls/pack

Use: Orthopedic padding cotton roll

[P095] Bite-resistant Leather Gloves (Extended)

Specs: Top-grain cowhide + suede + thick cotton lining | Size: L54xW15cm (protects to elbow)

Use: Anti-bite thickened leather gloves - extended length

OEM / ODM

Custom specifications, private labeling, sterile packaging and complete OEM/ODM solutions available.

Sample lead time: 3 days · Standard order: 3–15 days · Custom: upon negotiation

All products EO-sterilized (unless stated). Export documentation and regulatory support provided.

For pricing and full specifications, contact:

Email: info@jsshuangyang.com

WhatsApp: +86 182 6187 0933

Web: www.shuangyangorthopedic.com

Parent Company: Jiangsu Shuangyang Medical Instrument Co., Ltd. — www.jsshuangyang.com